

केन्द्रीय माध्यमिक शिक्षा बोर्ड
Central Board of Secondary Education
संबंधता - Online School Affiliation & Monitoring System R-2.0

As per new Affiliation Bye-Laws

[Affiliation-Bye-Laws](#) [Circulars](#) [Useful Links](#) [I.C. Login](#) [Feedback](#) [FAQ](#) [Contact Us](#)

Total No. of Schools affiliated with CBSE : 26665

CBSE School Directory

Keyword wise Affi. No. wise State wise Region wise School level wise Disaffiliated schools

Enter Affiliation No. : 3530119

SEARCH

SNo	AffNo,School & Head Name	Address,Phone & Email
1	Affiliation No. 3530119 Name: S K M PUBLIC SCHOOL Head/Principal Name: Ms. Monika Sharma Status of the School: Senior Secondary Affiliated up to: 31/03/2027	Address: RAMPUR ROAD NAINITAL UTTARANCHAL ,263139 Phone No: 5946 ,7088779966 Email: monikasharma9720506663@gmail.com Website: www.dronaedu.com



ENGINEERS ENTERPRISES

ARCHITECTURAL ENGINEERS / CONSULTANTS,
APPROVED VALUERS,
INTERIOR DESIGNING,
PROJECT MANAGEMENT.

P.C.F. PLAZA - 1
Bareilly Road, HALDWANI
Pin - 263139 (NAINITAL)
☎ : (05946) (O) 252858
HIMALAYA FARM
(Opp. Abdulla Building)
Bareilly Road, HALDWANI
Distt. Nainital (U.K.)
☎ : (05946) (R) 252310

TO WHOM SO EVER IT MAY CONCERN

Ref. No. :- EE/13/2020-2021

Date. :- 27/05/2021



This is to certify that the school building of
S K M SENIOR SECONDARY SCHOOL
AT. RAMPUR ROAD, HALDWANI, DISTT. NAINITAL (UTTARAKHAND)
is made by good quality material. The building is R.C.C. framed structure building /
load bearing brick masonry structure with R.C.C. Roofing and R.C.C. Columns / R.C.C.
Beams, as per the requirements. The walls are of brick masonry.

The building is structurally safe under normal circumstances, All the clas
rooms and other rooms are well ventilated and lighted.

There is a provision for good drinking water. Proper toilet for boys and
girls are provided separately in the school campus.

The certificate is issued on the basis of documents, drawings provided
by the owner.

However the building is not designed by us, but physically it seems to be
in a good conditions.


27/05/21 *


Aff. No. : 3530119
Code No. : 81167

Ref. No. _____
Date 18 June, 2021



SKM
SR. SEC. SCHOOL

(Affiliated to CBSE, New Delhi)
Rampur Road, Haldwani-263139, U.K
Ph. : 05946 234223, 90127 01888

Transport safety certificate

It is hereby declared that, the school has fulfilled all the safety measures stipulated by the transport department including speed governor for the two school bus & one school van. The details of documents are as follows:

DETAILS	BUS NO. 1	BUS NO. 2	VAN
R.C	UK04PA0673	UA06C9154	UK04TA5804
TAX TILL	21.12.2020	31.03.2020	21.12.2020
INSURANCE TILL	14.01.2021	24.02.2021	25.02.2021
PERMIT TILL	27.09.2021	13.03.2024	14.06.2024
F.C TILL	20.08.2021	06.03.2020	29.06.2021

Thanking you,

Yours sincerely

PRINCIPAL

S.K.M. Senior Secondary School
Rampur Road, Haldwani (Nainital)

SAFE DRINKING WATER AND SANITARY CONDITION CERTIFICATE

No. 242Date 11-06-2021

It is certified that an inspection team headed by Dr. Manoj Kanepal
 (name of officers with designation) from Nagar Nigam Haldwani-Kathgodam, Haldwani
 inspected the SKM Sr. Sec. School, Rampur Road, Haldwani
 (Name & address of the school) on 8/06/2021
 and found that the SKM Sr. Sec. School (Name
 of school) has safe drinking water facilities for the students and members of staff of the
 institution and is maintaining the hygienic sanitation condition in the school building & the
 campus as per norms as per the norms prescribed by the Central /State/U.T.Govt.

The above valid for a period of 8/06/2021 to 7/06/2022

Signature with seal Dr. Manoj Kanepal
 वरिष्ठ नगर स्वास्थ्य अधिकारी
 नगर निगम, हल्द्वानी-काठगोदाम

Name Dr. Manoj KanepalDesignation SMO

To

SKM Sr. Sec. SchoolRampur Road, Haldwani

(Name & address of the institution)

कार्यालय मुख्य अग्निशमन अधिकारी नैनीताल (हल्द्वानी)
पत्रांक:-सी0एफ0ओ0-न-6(इ0)/2021 दिनांक-जून/0,2021

सेवा में,

OWNER/MANAGER,
S. K. M. SR SECONDARY SCHOOL,
F 17, RAMPUR ROAD HALDWANI,
DISTT-NAINITAL, UTTARAKHAND,

विषय:- S. K. M. SR SECONDARY SCHOOL, F 17, RAMPUR ROAD HALDWANI, का अग्नि सुरक्षा दृष्टिकोण से निरीक्षण एवं अग्नि सुरक्षा अनापत्ति प्रमाण-पत्र निर्गत किए जाने विषयक।

कृपया उपरोक्त विषयक एवं आवेदक के आवेदन पत्र सं0-12015934 दिनांक:-27.05.2021 के परिपेक्ष्य में इस कार्यालय से निर्गत आदेश दिनांक:-28.05.2021 के अनुपालन में प्रभारी अग्निशमन अधिकारी हल्द्वानी द्वारा S. K. M. SR SECONDARY SCHOOL, F 17, RAMPUR ROAD HALDWANI, का प्राथमिक अग्नि सुरक्षा दृष्टिकोण से निरीक्षण किया गया उक्त के अनुसार वर्तमान में निम्नांकित अग्निशमन सुरक्षा व्यवस्था पाई गई।

1. परिसर में रिजर्व वाटर टैंक 20 हजार लीटर क्षमता का प्राविधान किया गया है।
2. संस्थान परिसर में 14 अदद ABC टाईप फायर एक्सटिंग्यूशर-04 किय्रा क्षमता, 02 अदद CO₂ टाईप फायर एक्सटिंग्यूशर-4.5 किय्रा क्षमता एवं 02 अदद होजरील मय फिटिंग्स का प्राविधान किया गया है।

उपरोक्त के अतिरिक्त संस्थान का किसी भी कार्य दिवस में मुझ अधोहस्ताक्षरी द्वारा निरीक्षण किया जायेगा तथा NBC-2016 के Part-04 में निहित मानको के अनुसार अग्नि सुरक्षा व्यवस्था किए जाने का सुझाव दिये जाने पर पालन किया जाना अनिवार्य होगा।

1. संस्थान/परिसर में प्रत्येक समय पानी रिजर्व रखा जाना अनिवार्य होगा तथा स्थापित अग्नि सुरक्षा व्यवस्था की कार्य क्षमता व रख-रखाव को प्रत्येक समय उच्च स्तर पर बनाय रखेगे।
2. प्रत्येक वर्ष निर्धारित समय में अग्नि सुरक्षा व्यवस्था का निरीक्षण कराया जाना अनिवार्य होगा। उक्त हेतु (नियमानुसार (10 रू0 प्रति फायर एक्सटिंग्यूशर टैस्टिंग शुल्क) निर्धारित शुल्क-(फायर सर्विस हैड 0070 अन्य प्रशासनिक सेवाएं 60 अन्य सेवाये , 109 अग्नि से संरक्षण एव नियन्त्रण) कराया जायेगा।

अतः इस कार्यालय से दिये गये निर्देश/सुझाव तथा शर्तों का पालन किए जाने एवं प्रभारी अग्निशमन अधिकारी हल्द्वानी द्वारा मुझ अधोहस्ताक्षरी कार्यालय को प्रेषित संस्तुति आख्यां पत्रांक-न-/फा0स0/2021 के आधार पर S. K. M. SR SECONDARY SCHOOL, F 17, RAMPUR ROAD HALDWANI, को दिनांक-31.05.2022 तक अधिभोग (Occupancy)/अध्यासन किए जाने हेतु अग्नि सुरक्षा दृष्टिकोण से इस कार्यालय को कोई आपत्ति नहीं है।

अनापत्ति प्रमाण पत्र निर्गत किया जाता है।

116
10.6.21

मुख्य अग्निशमन अधिकारी
मुख्य अग्निशमन अधिकारी
नैनीताल (हल्द्वानी)।



उत्तराखण्ड राज्य

सोसाइटी के नवीनीकरण का प्रमाण पत्र

नवीनीकरण संख्या : RENEW0321002884

एतद्वारा प्रमाणित किया जाता है कि श्री केदार एजुकेशनल एण्ड सोशियल वेलफेयर सोसायटी , VILLAGE-DAHARIYA (MUKHANI) POST MANPUR PASHCHIM,RAMPUR ROAD, HALDWANI Nainital Uttarakhand 263139 को दिये गये रजिस्ट्रीकरण प्रमाण पत्र संख्या : UK06603102019002323 , दिनांक : 20-FEB-1991 को दिनांक : 19-FEB-2026 तक के लिए नवीकृत किया गया है। रु 1000 /- की नवीनीकरण फीस सम्यक रूप से प्राप्त हो गयी है।

Uttarakhand

दिनांक : 29-APR-2021

सोसाइटी-रजिस्ट्रार
उत्तराखण्ड


Signature valid

Digitally signed by: Ms Pooja Negi
Reason :SOCIETY E-Approval
Location: Nainital Treasur
Date and Time: 29-04-2021 13:59:17

Mauka
PRINCIPAL
SKM Senior Secondary School
Rampur Road, Haldwani (Nainital)



केन्द्रीय माध्यमिक शिक्षा बोर्ड
Central Board of Secondary Education
संबद्धता - School Affiliation Re-engineered Automation System (SARAS)



To monitor your progress at any stage, visit the Progress Panel (/S

List of Applications
(/SARAS/ApplicationList/Details)

Infrastructure Details

Update of OASIS
(<https://www.cbse.gov.in/newsite/mandatory.html>)

	TOTAL NUMBER OF PLOTS OF SCHOOL*	01
Part A	SCHOOL SITE (TEMPORARY / PERMANENT) *	PERMANENT
Part B - Auto Import from OASIS	DISTANCE BETWEEN TWO SITES OF THE SCHOOL (IN KM)	00
Basic Detail (/SARAS/BasicDetails/GetData)	PURPOSE FOR TWO SITES OF THE SCHOOL	NA
Upload Photo (/SARAS/Photo/photo)		
Faculty Detail (/SARAS/Faculty/Faculty)	THE SCHOOL WILL NOT RUN ANY BRANCH IN THE PREVIOUS PLOT WITH SAME AFFILIATION NO.*	Yes
Student Detail (/SARAS/Student/StudentDetail)	CERTIFYING THAT NO OTHER INSTITUTION (APART FROM SCHOOL) IS RUNNING IN THE CLAIMED LAND AREA.*	Yes
Academic Detail (/SARAS/AcademicDetails/Index)	DOES THE SCHOOL HAS A PUCCA BOUNDARY WALL?*	Yes
Infra Detail (/SARAS/InfraDetail/InfraDetail)	WHETHER SCHOOL HAS SINGLE CONTIGUOUS PLOT*	Yes
Vital Info (/SARAS/Vital/Index)	NUMBER OF BUILDING BLOCKS OF SCHOOL*	01
Chairman and SMC Detail (/SARAS/CSMC_Details/Index)	HOW MANY ROOMS LESS THAN 400 SQ FT*	31
School Website Information (/SARAS/Website/WebsiteInfo)	HOW MANY ROOMS BETWEEN 400 to 500 SQ FT*	2
Academic Quality Parameters	HOW MANY ROOMS GREATER THAN 500 SQ FT*	3
Part C - Auto Import from OASIS	TOTAL NUMBER OF ROOMS	36
Final Submit	DOES THE SCHOOL HAVE A STRONG ROOM?*	Yes
Payment	TOTAL NUMBER OF DIGITAL SMART (COMPUTER ASSISTED LEARNING CLASS) CLASSROOMS*	08
School Report Card	TOTAL NUMBER OF COMPUTERS (ALL COMPUTER LABS COMBINED)*	23
Progress Panel	NUMBER OF AUDITORIUMS*	01
Account	TOTAL NUMBER OF LIBRARIES*	01
	TOTAL NUMBER OF LABORATORIES*	05
	NUMBER OF WATER PURIFIERS/ROs AVAILABLE IN SCHOOL*	02

TOTAL NUMBER OF CANTEENS*	01	
TOTAL NUMBER OF LIFTS/ELEVATORS*	00	
DOES THE SCHOOL HAVE SPORTS FACILITY?*	Yes	▼
DOES THE SCHOOL HAVE A SWIMMING POOL?*	No	▼
DOES THE SCHOOL HAVE A GYMNASIUM?*	No	▼
DOES THE SCHOOL HAVE DANCE/MUSIC FACILITY?*	Yes	▼
DOES THE SCHOOL HAVE A WEB SERVER?*	Yes	▼
PROVISION OF WEB BASED LEARNING PROGRAMS?*	Yes	▼
DOES THE SCHOOL HAVE RAMPS FOR PHYSICALLY HANDICAPPED?*	No	▼
TOTAL NUMBER OF TOILETS *	16	
TOTAL NUMBER OF BOYS' TOILETS*	08	
TOTAL NUMBER OF GIRLS' TOILETS*	08	
NUMBER OF TOILETS FOR DIFFERENTLY ABLED PERSONS*	00	
TOTAL NUMBER OF WASHROOMS FOR FEMALE STAFF*	02	
TOTAL NUMBER OF WASHROOMS FOR MALE STAFF*	02	
ARE THE HEALTH AND HYGIENE, TOILETS ON ALL FLOORS, SEPARATE TOILETS FOR STAFF, RAMPS, SIGNBOARDS, ETC. BEING MAINTAINED PROPERLY? *	Yes	▼
TOTAL NUMBER OF FEMALE REST ROOMS*	01	
TOTAL NUMBER OF MALE REST ROOMS*	01	
ARE CCTV CAMERAS INSTALLED IN AREAS OF SECURITY CONCERN?*	Yes	▼
ARE SUFFICIENT NUMBER OF GUARDS EMPLOYED FOR SAFETY?*	Yes	▼
TOTAL NUMBER OF BUSES OWNED BY SCHOOL*	02	
TOTAL NUMBER OF BUSES HIRED BY SCHOOL*	00	
TOTAL AREA OF SCHOOL IN SQUARE METERS*	7927	
LIBRARY SIZE (IN SQ. METERS)*	50.7	
COMPUTER LAB SIZE (IN SQ. METERS)*	40.6	
COMPOSITE SCIENCE LAB SIZE (IN SQ. METERS)	00	
CHEMISTRY LAB SIZE (IN SQ. METERS)	28.7	
PHYSICS LAB SIZE (IN SQ. METERS)	36.4	
BIOLOGY LAB SIZE (IN SQ. METERS)	39.4	
MATHEMATICS LAB SIZE (IN SQ. METERS)*	26.9	

NEXT (/SARAS/VITAL/INDEX)

Note : If you required to update any data, Login and update from OASIS.